Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
[3]	11	439/159,160.ccls. and button with (snap or clip\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 20:22
L2	11	439/159,160.ccls. and button with (snap\$4 or clip\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 20:22
L3	838	(male or female) with button with (snap\$4 or clip\$4 or connect\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 20:34
L4	139	(male or female) with button with (snap\$4 or clip\$4 or connect\$4) same press\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 20:41
L5	1	"5151989".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 20:41
L10	5	439/159,160.ccls. and ramp with (rear or back)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 22:16
111	6	439/159,160.ccls. and ramp\$3 with (rear or back)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 22:16
L12	76	439/159,160.ccls. and (angle\$1 or inclin\$3 or declin\$3 or ramp\$3) with (rear or back)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 22:16
L13	30	439/159,160.ccls. and (angle\$1 or inclin\$3 or declin\$3 or ramp\$3) with (rear or back) same card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 22:19
L14	22	439/159,160.ccls. and card with eject\$4 same (ramp\$3 or inclin\$3 or declin\$4 or angl\$2) near3 (surface or edge)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 22:20
S1	655	(header or connector) with card same (slid\$4 or rotat\$4 or abut\$4 or glid\$4) same eject\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/04 17:00
S2	324	(header or connector) with card same (slid\$4 or rotat\$4 or abut\$4 or glid\$4) near5 (wall or body or housing or back or side or front) same eject\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/04 17:00
S3	4088	card with (connector or read\$3 or writ\$3 or eject\$3) same (pivot\$4 or cam\$4 or dovetail or slid\$4) same (base or back or side or groove or indent\$3 or cutout)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 11:38

S4	2718	card with (connector or read\$3 or writ\$3 or eject\$3) same (pivot\$4	US-PGPUB; USPAT;	OR	ON	2005/04/05 11:39
		or cam\$4 or dovetail or slid\$4) with (base or back or side or groove or indent\$3 or cutout)	EPO; JPO			·
S5	3482	card with (connector or read\$3 or writ\$3 or eject\$3) same (pivot\$4 or slid\$4 or rotat\$4 or rub\$4 or press\$4) with (base or back or side or groove or indent\$3 or cutout)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 11:39
S6	4376	card with (connect\$3 or read\$3 or writ\$3 or eject\$3) same (pivot\$4 or slid\$4 or rotat\$4 or rub\$4 or press\$4) with (base or back or side or groove or indent\$3 or cutout)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 11:42
S7	320	"439"/\$.ccls. and card with (connect\$3 or header or read\$3 or writ\$3) same (pivot\$4 or slid\$4 or rotat\$4 or rub\$4 or press\$4) with (base or back or side or groove or indent\$3 or cutout) same (eject\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 11:49
S8	294	yamamoto.in. and "439"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 12:12
S9	7	kodama.in. and molex.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:16
S10	0	yamamota.in. and whitaker.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:17
S11	0	yamamota.in. and card with connect\$2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:18
S12	3	yamamota.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:18
S13	156767	Yamamoto.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:18
S14	12	Yamamoto.in. and whitaker.as.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 13:19
S15	2	("5286207" "5492481").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:53

S16	1	(439/159.ccls. 439/169.ccls.) and dovetail	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:05
S17	200	(439/159.ccls. 439/169.ccls.) and arm same (slid\$4 or groove or track)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:05
S18	1	"5151989".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:49
S19	18347	okubo.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:49
S20	317	okubo.in. and card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:50
S21	1212	okubo.in. and shaft	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:50
S22	4	okubo.in. and shaft with cutout	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:52
S23	30	komatsu.in. and "439"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:53
S24	0	439/15\$-16\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:53
S25	0	(439/15\$-16\$.ccls.) and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:53
S26		(439/15\$-16\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:54
S27	0	(439/15\$1-16\$1.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:54
S28	2249	439/15\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:54
S29	1295	439/16\$.ccis.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 14:54
S30	153	(S28 S29) and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 15:47
S31	8	("5887145" "5779496" "5769643" "5684672" "5644320" "5628055" "5590346" "5509811").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 15:00

S32	4	(S28 S29) and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (detent or bump or dome)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 15:54
S33	18	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (removabl\$1 or replac\$4 or detent or bump or dome)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 15:59
S34	10	("5421737"   "5443395"   "5653603"   "5778521"   "5791920"   "5795190"   "5800189"   "5846096"   "5871365"   "5890920").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 15:57
S35	6	("6030238").URPN.	USPAT	OR	ON	2005/04/05 15:58
S36	1	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (hing\$4 or fastener)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:00
S37	148	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (detent or bump or latch or lever or hing\$4 or attach\$4 or connect\$4) same eject\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05:16:08
S38	5	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (snap\$4 or clip\$4) same eject\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:11
S39	96	button same (detent or cam or boss) with (round or dome)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:10
S40	79	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (hing\$4 or pivot\$4 or cam or boss) same eject\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:14
S41	5	"439"/\$.ccls. and card with (eject\$4 or read\$4 or writ\$4 or connect\$3) same button with (snap\$4 or clip\$4) same eject\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:20
S42	1953	button with (bump or dome or detent or ball) with (connect\$4 or slid\$4 or attach\$4 or snap\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:21
S43	56	S42 and ("235"/\$.ccls. "439"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:31
S44	76	292/334.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:32

S45	118	"292"/\$.ccls. and (dome or round or ball) same (press\$4 or squeez\$3) same (slid\$4 or snap\$4 or attach\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:34
S46	496	"292"/\$.ccls. and button with (lever)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:35
S47	1972	"292"/\$.ccls. and (press\$4 or button) with (attach\$4 or connect\$4 or fasten\$4 or snap\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:35
S48	856	"292"/\$.ccls. and (press\$4 or button) with (attach\$4 or connect\$4 or fasten\$4 or snap\$4) with (shaft or lever or member)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:36
S49	9	"439"/\$.ccls. and button with snap\$4 same card with (eject\$4 or connect\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:36
S50	9	"439"/\$.ccls. and (button with snap\$4) same (card with (eject\$4 or connect\$3))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:39
S51	27	"439"/\$.ccls. and (button) with ramp	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:39
S52	702	button with (rod or lever or connector) with (bump or boss or detent or protrud\$3 or protrusion) with (engag\$4 or snap\$4 or connect\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:44
S53	512	"292"/\$.ccls. and (bump or detent or dome or ball) with slid\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:45
S54	196	"439"/\$.ccls. and button same card with eject\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 16:53
S55	59	button with snap with (aperture or hole) with (dome or protrusion or protruding or detent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:23
S56	261	button with (slid\$4 or snap) with (aperture or hole) with (dome or protrusion or protruding or detent)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:20
S57	1102	button with snap with (aperture or hole)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:23
S58	199166	"235"/\$.ccls. "292"/\$.ccls. "439"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:24
S59	32	S58 and S57	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:26

S60	208	"439"/\$.ccls. and button same eject\$4 same card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:27
S61	115	"439"/\$.ccls. and button same eject\$4 same card same (detent or dome or protrusion or protruding or snap\$4 or aperture or click\$4 or slid\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:27
S62	120	"439"/\$.ccls. and button same eject\$4 same card same (detent or dome or protrusion or protruding or snap\$4 or aperture or click\$4 or slid\$4 or fasten\$4 or secur\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:27
S63	137	"439"/\$.ccls. and button same eject\$4 same card same (detent or dome or protrusion or protruding or snap\$4 or aperture or click\$4 or slid\$4 or fasten\$4 or secur\$4 or attach\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/05 17:27
S64	2	("5443395"   "5507658").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 17:30
S65	11	("5653603").URPN.	USPAT	OR	ON	2005/04/05 17:31
S66	485	(439/159.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 17:34
S67	170	(439/159.ccls.) and button	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 17:34
S68	2	("5286207" "5492481").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/17 17:49